





468 Great Eastern Highway, ASCOT WA 6104 PO BOX 345, BURSWOOD WA 6100 Phone: 08 9472 0021 Email: sales@astrowa.com.au

SUMMARY OF ASTRO'S PRODUCT RANGE

SOFTFALL RUBBER PRODUCT RANGE - EPDM / TPV

ASTRO PLAYSAFE PREMIUM - ASTRO IS THE PREFERRED INSTALLER IN W.A.



- a) THE ONLY EPDM MANUFACTURED IN AUSTRALIA BY DURAPOL FOR OVER 20 YEARS. TPV MANUFACTURED IN THE U.K. BY ROSEHILL.
- b) FIVE (5) YEAR SUPPLIER MATERIALS WARRANTY
- c) THREE (3) YEAR ASTRO SYNTHETIC SURFACES IMPACT TEST WARRANTY
- d) A blending of 1-3mm granules creating a longer lasting, better and tighter surface finish
- e) 24 colours to choose from or blend
- f) Excellent UV stability across all colours

NOTE: WITH REGULAR MAINTENANCE, A 10 YEAR PLUS LIFE EXPECTANCY CAN BE ANTICIPATED

ASTRO PLAYSAFE STANDARD EPDM



- a) THREE (3) YEAR SUPPLIER MATERIALS WARRANTY
- b) THREE (3) YEAR ASTRO SYNTHETIC SURFACES IMPACT TEST WARRANTY
- c) Imported from Malaysia
- d) 22 colours to choose from or blend
- e) Good UV stability

NOTE: WITH REGULAR MAINTENANCE, A 5 YEAR PLUS LIFE EXPECTANCY CAN BE ANTICIPATED

ECONOMY EPDM

- a) ONE (1) YEAR SUPPLIER MATERIALS WARRANTY
- b) ONE (1) YEAR IMPACT TEST WARRANTY
- c) Imported from Malaysia
- d) 18 colours to choose from or blend

NOTE: LIFE EXPECTANCY - VARIABLE

SBR - ASTRO PLAYSAFE PRE-COLOURED SBR



- a) THREE (3) YEAR SUPPLIER MATERIALS WARRANTY
- b) TWO (2) YEAR ASTRO SYNTHETIC SURFACES IMPACT TEST WARRANTY
- c) PRODUCED FROM RECYCLED TYRES
- d) A blending of 1-3mm granules, creating a longer lasting, better and tighter surface finish
- e) Available in 15 colours to choose from or blend

NOTE: WITH REGULAR MAINTENANCE, A 5 YEAR PLUS LIFE EXPECTANCY CAN BE ANTICIPATED







468 Great Eastern Highway, ASCOT WA 6104 PO BOX 345, BURSWOOD WA 6100 Phone: 08 9472 0021 Email: sales@astrowa.com.au

WATER WISE PRODUCT RANGE

a)

SOFTFALL MULCH



- ALLOWS WATER TO DRAIN THROUGH TO SUB SURFACE.
- b) Manufactured out of recycled rubber.
- c) Has a large range of uses including medium strips, around trees, garden areas or anywhere a permanent surface is required and has a life expectancy of approximately ten years. Easy to trim as trees grow.
- d) Due to wet pour installation, can be produced in any thickness and very cost effective compared to other alternatives.
- e) Non-slippery, hygienic and easy to maintain.
- f) In heavy traffic areas, it does not scatter, creating an unsightly mess and a slip hazard.
- g) It is dense enough to eliminate weeds and does not rot or wash away.

POROUS PEBBLE PAVING



- a) ALLOWS WATER TO DRAIN THROUGH TO SUB SURFACE.
- b) Low maintenance no weeds, puddles or loose stones to sweep up.
- c) Ideal for pathways and driveways. Can be installed over existing driveways and pathways without any demolition work subject to being able to stabilise the existing base.
- d) Also suitable for forecourts, courtyards and tree surrounds.
- e) It is smooth and accessible ideal for pushchair, bicycles, wheelchairs and mobility scooters.
- f) It is UV stable there is no colour fading.
- g) Ideal for pool surrounds and aquatic centres. Slip-resistant due to its textured surface that allows water to run through, preventing puddle forming.

SYNTHETIC TURF



- a) ALLOWS WATER TO DRAIN THROUGH TO SUB SURFACE.
- b) Available for landscaping and sports surfaces.
- c) Soft, durable and realistic looking.
- d) Saves water. Perfect for patios, around swimming pools, etc.
- e) Synthetic turf remains uniform and consistent year after year and can be used within hours of installation.
- f) Unlike natural grass, doesn't require treatment with pesticides, herbicides, etc.







468 Great Eastern Highway, ASCOT WA 6104 PO BOX 345, BURSWOOD WA 6100 Phone: 08 9472 0021 Email: sales@astrowa.com.au

CRICKET PITCH COVERS

TURF TOP CRICKET PITCH COVER



- a) COMBINATION OF RUBBER AND TURF BONDED TO EACH OTHER TO PRODUCE A RUBBER CUSHIONING EFFECT. IMPROVES IMPACT RATING.
- b) COMPLIES WITH THE AUSTRALIAN SAFETY STANDARD AS/NZS 4422:2016.
- c) Turf is the protection wear layer on top of the rubber that does not allow the rubber to stretch or absorb UV.
- d) Built for outdoor conditions.
- e) Each pitch unit can be stored as a flat pack, significantly reducing damage to the product.

HEAVY DUTY RUBBER



- a) Two different grades of rubber.
- b) High quality polyurethane binder mixed at higher percentage than normal.
- c) Long wearing.

SOFTFALL KERBING



- a) MADE FROM RECYCLED RUBBER.
- b) Cost effective, quick to install and easy to remove.
- c) Very flexible and perfect for areas of expected vehicle impacts and unlike concrete, it does not crack, chip or breakaway.
- d) Each section measures 2.4m long x 170mm high x 120mm wide at base.
- e) Available in five (5) colours.